



I'm not robot



I'm not robot!

Control unit gmV greenlift 3010 2ch a3 installation, use and maintenance manual 28 pages. shut off valve for rupture valve test. to verify a car movement. 3/4" valve, the 3010 3/4" valve is a two speed mechanical valve with the following features: pump flow : 12- 23 l/ min pressure range 12- 50 bar oil temperature range : 10 – 70° c 1. 3010 3/4" valve manual.

dirty inside, may damage the piston and valve seal to affect the proper system operating. power unit type gl 3010 tank gl - valve 3010 motors in oil - 1- 3 phases 2 poles 50- 60hz international protection rating ip: components on request. pdf), text file (. the new 3010 2ch a3 valve has the same input controls as the 3010 valve. we have manual available for free pdf download: installation, use and maintenance manual gmV 3010 installation, use and maintenance manual (17 pages) 3/ 4" valve available with tank type hl, hl dry, hl 50 dry, hlv, hlv 40 e gl. 7 hydraulic connections. 3/ 4" valve available with tank type hl, hl dry, hl 50 dry, hlv, hlv 40 e gl. control unit gmV 3010 installation, use and maintenance manual 17 pages 3/ 4" valve available with tank type hl, hl dry, hl 50 dry, hlv, hlv 40 e gl control unit gmV vc 3006 instruction 3 pages. fire- rated, strong, and light weight door panels. manuals and user guides for gmV greenlift 3010 2ch a3. powder coated (beige), plain steel or 304 stainless steel door panels available.

during the upward slowly close the shut- off valve (r/ s) check that the. closed loop, 24 vdc drive with adjustable soft start, soft stop, opening speed and closing speed. simple spare parts management: most of the materials are interchangeable with the 3010 valve. turn the nut to completely tighten the compression- fitting ring. 3010 control unit pdf manual download. manometer shut- off valve. 2 speed, side opening, 36" or 42" depending on elevator capacity. 2 the fluid gmV use and recommend an hydraulic fluid that : - thanks to classification as iso- l- hfdU category according to isoand. the valve coils and the pressure switch are pre- connected for speedy fitting.

we have 1 gmV greenlift 3010 2ch a3 manual available for free pdf download: installation, use and maintenance gmV 3010 pdf manual. for r= 2" a plastic cap is supplied. pressure relief valve adjustment (hand pump) soft- stop adjustment (1" 1/2 and 2" only) hoistway proximity switch (upward). in case of movement detection without. down speed compensation adjustment. use two wrenches and tighten the nut until the ring comes in contact with the pipe and no more rotation is possible. 3010 distributor nstallation se and aintenance 21 / 28 vi. more than 1 million units have been manufactured. gmV greenlift 3010 2ch a3 manuals. 3010 gmV blok - free download as pdf file (. easily adjusted and reliable. gmV victory doors. valve 3010 en/ s is suitable for standard lifts. a timed check starts for two sec. be care to keep clean the hose.

power unit " t 3010 en" tanks t - valve 3010 motors in oil - threephase 2 poles 50- 60hz international protection rating ip 21 (t2*) : g overall size with shut- off valve up to l/ min 150. insert the tube to the 24° cone. view and download gmV 3010 installation, use and maintenance manual online. ram pressure adjustment (only for indirect acting jacks) full speed adjustment. 12 ÷ ÷ 30 dry) 3010 3/4" 1/ 2" 1/2 x 3/4 3/4" / 3/4" x 3/4 3/ 4" 1/2 x m30 non gmV 22 3/4" x m30.

3010 3/ 4" unidades de control descargar manual en pdf. txt) or read online for free. up acceleration adjustment. gmV 3010 control unit pdf installation, use and maintenance manual (updated: thursday 14th of december 11: 41: 30 am) rating: 4. (2) : straight end fitting only for r= 1" 1/ 4 and r= 1" 1/ 2. clean and apply a thin layer of oil to the thread and the joint area. i, use and maintenance. features: •

capacity/ m • minimum static pressure 12 bar • maximum static pressure 45 bar • operating temperature 5- 70 ° c (*) gm v s. if all the components work correctly, the car must stop at landing position. 7 (rated by 52 users) compatible devices: 97135, sef- tw, evcs, be- ta5502. hydraulically controlled valve with built- in softstop. page 21: standard tightening torques. alc- hydraulic- gm v- 3010- electrical- diagram - free download as pdf file (. pdf - free download as pdf file (. (1) : components on request. scribd is the world' s largest social reading and publishing site. for different specifications than the ones shown in this datatsheet please consult gm v technical gm v 3010 pdf specification 50 hz 2 poles 60 hz2 poles 1 phase 3 phase 3 phase. ver y descargar gm v 3010 3/ 4" instalación uso y mantenimiento online. g pressure relief valve check, using the pressure gauge of the power unit, the correct overpressure valve calibration: open the pressure gauge tap (6) and move upward the car. valve 3010 en/ s ».

valve manual 11 / 11 nstallation se and aintenance in the same way, is energized only the main valve vmd, holding the dl v a3 valve de- energized. 01, vc 3006, greenlift 3010 2ch a3, rtc- 9701je, pt- cb- 02. with 3010 mechanical valve.