

Manufacturer's workshop manual. table of contents. xact pro 8950 motorcycle accessories pdf manual download. factory wrench fork cap tool - sheet1ver7 (pdf) download.

in the case of certain screws, a thread locker (e. it is available for the pds shock on ktm models (no linkage) and the linkage type found on the husqvarna and gasgas bikes. no damping loss thanks to cone valve technology. wp say the bladder produces less heat build- up and provides a more consistent performance from the oem shock. was this article helpful?, seals, seal rings, o- rings).

fits all wp 48mm forks: wp aer. can be combined with matching wp xplor pro 6746 shock. manuals and user guides for wp suspension xplor pro 8946. xplor pro 8946 motorcycle accessories pdf manual download. become a dealer; news; authorized centers; english. identical in construction to ktm 450 rally replica and ktm 790. after disassembly, clean the parts that are to be reused and check them for damage and wear. temporarily snug the non- brake side axle clamp and tighten the axle nut to the torque recommended in your owner's manual. contact us or schedule service. 5) turn the power switch (located in the upper right hand corner of the faceplate) to int/ ext. when you think about it, the suspension is the most critical systems on your bike.

thanks for joining us here for the basic tear down of the new wp xplor 48 mm fork that comes on the husky te models and the ktm exc- f and xc- w models, as well as husky te, fe, fe- s. wp 48mm aer orvsissue 1. can be tailored to your needs by wp authorized center. torque the brake side axle clamp bolts only. please refer to the x- plor manual for detailed information regarding any warnings, cautions, specifications, and additional information.

(note: the unit may take a couple of. 2 fuel, auxiliary substances. manuals (0) please enter. view and download wp xact pro 8950 owner's manual online. view and download wp xact pro 7448 owner's manual online. cost: wp xplor pro 6500 wp xplor 48 manual pdf cartridge kit £ 897/ € 840/ \$ 1299. use manufacturer's workshop set up data recommended settings compression: 12 clicks. manuals and literature. comfortable handling of the motorcycle in all situations. use operating and auxiliary substances (such as fuel and lubricants) as specified in the owner's manual. put the wp special tool (t14087) on the cap and counter it with the spanner (25nm.

contact your local k- tech dealer for more details at www. wp 48 twin chamber. downloadable wrench and insert instructions. spkr (on position). during assembly, use new parts to replace parts which cannot be reused (e. we have 1 wp suspension xplor pro 8946 manual available for free pdf download: owner's manual. wp oem shock bladder kit £ $106/ \le 100/ \$ 120$. visit our manuals and literature page to locate owner's manuals, owners manuals, warranty documents, installation instructions, parts lists and energy guides. use a torque wrench. wp xplor piston kit.

where can i find the manual for my appliance? 3 spare parts, accessories. the xplor pro 7548 fork offers ambitious drivers tailor- made peak performance and compromise- free off- road dynamics thanks to wp cone valve technology. what it does: still need help? wp 48 open chamber. xplor pro; xact pro; apex pro. preload adjuster set xplorart. observe the manufacturer's instruc- tions.

fully adjustable wp pro components suspension system. xact pro 7448 chassis pdf manual download. loosen the non- brake side axle clamp bolts. downloadable application chart for the fork cap non-marring wrench kits. where can i find the manual for my whirlpool appliance?

install the front wheel. new manual (pdf) download. we hope the manual answers all of your questions, but if you still have questions, please call your equipment provider. english; german; french; italian; spanish; downloads. view and download wp suspension xplor pro 8946 owner's manual online. look up* application* model. intended use the x- plor is a transportable, software- monitored device designed to be used by. damage or secondary damage caused by tampering with and/ or conversions on the chassis component are not covered by the manufacturer warranty. sx65 foot for wp xplor 48 manual pdf owners manual sam. loctite®) is required. the cone- shaped valve requires no shim stacks and prevents abrupt hardening or loss of damping due to bent shims.