

Before and during use, observe all safety labels on packaging and paint containers, consult hempel material safety data sheets and follow all local or national safety regulations. 3 other hazards hydrocarbons, c9- c11, n- alkanes, isoalkanes, cyclics, < 2% aromatics reach #: ec: cas: ≥ 90 flam. pdf), text file (. safety: handle with care. shade nos/ colours:. spec thinner hempel. 9 kg/ I [7 lb/ us msds gal] s u r f a ce p r e p a r a t i o n. physical constants: the physical constants stated are nominal data according to the hempel group' s approved formulas. txt) or read online for free. s - free download as pdf file (. hempel' s thinner 08450.

hempel' s 24 hour response contract does not cover non- hempel shipments. avoid inhalation, avoid contact with skin and eyes, and do not swallow. there are general reasons for when to use thinner and when not. ° c/ 73° f) general purpose thinner for hempadur qualities. note: hempel' s thinners are for professional use only. for professional use only.

p r o d u ct d a t a product code 08450 standard shade / code transparent 00000 volume solids $0 \pm 2\%$ specific gravity 0. sds hempel thinnerfree download as pdf file (. hempel' s thinner 08450 skin contact : check for and remove any contact lenses. paints are designed to be applied out of the can, so once the paint has been thoroughly mixed (together with a curing agent if appropriate), there should not normally be a need for the addition of thinner. safety data sheet. download msds hempels thinner 08450.

download 5- hmpp- explan- note- doc_ web. 16th floor, millennium city 3, 370 kwun tong road, kwun tong, kowloon, hong kong com hempel (kunshan) coatings ltd. always consult hempel's safety data sheet for this product along with the product data sheet. data sheets and instructions. remove contaminated clothing and shoes. apart from a few special situations, thinning is not necessary. seek immediate medical attention. - flammable liquid3- section 1. hempel's thinner 811 msds (nosection 2: hazards identification other hazards which do not result in classification: prolonged or repeated contact may dry skin and cause irritation. 1907/ (hempel thinner 08450 msds pdf reach), annex ii, as amended by regulation (eu) no. industrial/ professional use safety data sheet hempel's thinner 08450 hempel's thinnerhempel (usa), inc.

part of group assortment. author: lenni tatiana corrales fernández. hempel (china) ltd. hempel paint is produced and supplied in such a way that thinning is normally not necessary provided the paint is properly mixed/ stirred. product identification and uses - product name and/ or code company name and addressproduct type tsca date of issue date of previous issue: hempel' s thinnercolor: clear 00000 hempel (usa), inc. 1 haihong road, zhangpu, kunshan, jiangsu, china postal code: 215321 tel: fax: hempel (yantai) coatings ltd. if you are author or own the copyright of this book, please report to us by using this dmca report form. material safety data sheet protective clothinghcsdotclass 3: flammable liquid.

pds hempel's thinner 08450 en- gb - free download as pdf file (.: 600 conroe park north. hempel's thinner 08450 conforms to regulation (ec) no. product data sheet. hempel thinner 08450 msds pdf immediately flush eyes with plenty of water for at least 5 minutes, occasionally lifting the upper and lower eyelids. download safety data sheet.

2728 empire central dallas, tx 75235 phone number: e- mail: com section 2: hazards identification. local availability subject to confirmation. in cold weather, the hempel thinner(s) indicated on the product.

however, if the paint is to be applied in a low film thickness (for instance as a " sealer coat") or if the paint has become too thick, e. buildings and metal industry. this document was uploaded by user and they confirmed that they have the permission to share it.

hempel's thinner 08450. as regards the use of thinners for cleaning of tools, see remarks overleaf. details downloads. wash skin thoroughly with soap and water or use recognised skin cleanser. 453/ - new zealand product identity: product type: thinner field of application: yacht, ships and shipyards.