

智慧科技 为家而生

Intellectual home technology



设计赋科技以温暖和智慧，
科技和智慧成就空间新美学
“技术与艺术”的完美融合为目标
为每个家庭提供智慧体验
和极致美学享受。

Wonderful design, sweet & intellectual technology
New space aesthetics by intellectual technology
Art perfectly combines with high-tech.
It provides each family with intellectual experience
superb aesthetics enjoyment



智能家居 安全共享

Smart home, safe *sharing*



智能呼梯

Intellectual calling

可定制人脸识别呼梯、语音呼梯、指纹识别呼梯等智能呼梯方式。

It can tailor-made intellectual calling modes such as human-face recognition calling, voice calling, fingerprint recognition calling etc.



远程开锁

Long-distance unlock

通过远程开锁按钮为救援人员打开入户门，快速实施救援。

It opens entry door through long-distance unlock press-button. It quickly executes rescue.



物联网远程监控系统

Web of Things long-distance monitor system

远程实时监控电梯的运行情况，收集电梯运行轨迹和故障。

It executes long-distance real-time monitor to elevator running condition. It collects elevator running trace and trouble.



智能净化系统

Intellectual purifying system

负离子与紫外线双重净化杀菌系统，深度净化除味，智能杀菌。

Anion and UV ray dual purifying & sterilizing systems execute in-depth purification and deodorization. It makes intellectual sterilization.



光幕保护系统

Light-curtain protection system

最小可检测高度59mm的物体，智能检测轿门运行状态，守护出入安全。

It can detect minimum 59mm height object. It intellectually tests car-door running condition. It safeguards entry / exit security.



ARD停电应急自动救援

ARD emergency automatic rescue upon power failure

当停电时，ARD系统自动启用备用电源，让电梯安全运行至指定楼层。

If power fails, ARD system automatically starts spare power. Elevator safely travels to designated floor.

钢结构井道

Steel structure well

钢结构井道特点

Characteristics of steel structure well

性价比高，外包板后期由装修单位封装与设计风格一致，安装位置可自选，简洁美观，井架表面以豪华汽车油漆工艺标准及进口油漆喷涂，防锈防腐，永保光亮如新。

It is of high cost performance. Later outer sheath coincides with the decoration unit package and design style. Installation position can be chosen by the client. It appears concise and attractive. Well-frame surface takes the deluxe car paint technological standard and imported oil paint. It resists any rust / corrosion. It always keeps new and bright.

高级喷涂金属框架

Advanced spray metal frame



白色
white



黑色
Black



铝合金本色
Aluminum alloy color



玫瑰金
Rose gold



香槟金
Champagne gold



钛金
Titanium gold



铝合金井道

Aluminum alloy well

铝合金井道特点

Characteristics of Aluminum alloy well

一体式观光铝合金框架，
超薄井架，驱动系统内置，结构紧凑。

Integrated panoramic aluminum alloy frame,
super-thin well frame, inner drive system, compact structure.

顶层、底坑要求极低，
井道利用率高，可适配多种土建要求。

It has very low requirements to top floor and pit
with high utilization rate of the well. It can adapt to
multiple construction layout demands.

可选封板材质

Optional seal material



透明玻璃
Transparent glass




磨砂玻璃
Frosted glass



棕色玻璃
Brown glass




蓝星灰玻璃
Blue star grey glass



高端私人定制方案

High end customized *scheme*



使用寿命
传统曳引钢丝绳

使用寿命
全新一代钢带

钢带型别墅电梯

Steel belt type villa elevator

采用更加节能、环保、耐用的复合钢带，特殊材料包裹，无需润滑；运行平稳，安全可靠；使用寿命较长。

It applies the more durable, energy-saving, environment-protection composite steel band. Special material package without lubrication; Stable operation, safe and reliable; Long service life.

强驱式别墅电梯

Strong drive villa elevator

采用先进的电梯强制驱动和数字化控制变频调速技术，运行平稳，无需对重，无齿轮箱，体积小，安装简便，完全可以实现无机房，节省成本，更节约空间。

It adopts advanced elevator forced drive and digital control technology of variable frequency speed regulation, running smoothly. No need to counterbalance, without gearbox, small volume, easy to install, can completely realize no machine room, save cost and save more space.

曳引式别墅电梯

Traction villa elevator

采取业内最主流的曳引驱动方式，具有灵敏便捷、运行平稳舒适、节能环保等优势。先进的无机房结构，占地面积小，土建要求低，满足不同类型的别墅结构。

The most mainstream traction drive is used, and has sensitive and convenient, smooth and comfortable operation, energy conservation and environmental protection advantages. Advanced machine-less structure, small area, low civil construction requirements meet the different types of villa structure.





简藏至美
Simplicity hides *beauty*



TL-V001 标配 Standard

吊 顶：镜面不锈钢，亚克力灯饰
侧 壁：中心板发纹不锈钢，辅助板镜面不锈钢
后 壁：中心板发纹不锈钢，辅助板镜面不锈钢
地 板：PVC

Ceiling: Mirror stainless steel, acrylic lighting
Side wall: center plate hairline stainless steel,
auxiliary plate mirror stainless steel
Rear wall: center plate hairline stainless steel,
auxiliary plate mirror stainless steel
Handrail: None
Floor: PVC



扫描二维码
查看720°全景效果



简约、舒适设计，
低调诠释空间美妙，
在此卸下载重，享受松弛。

Cozy & concise design
It deducts a low-key magical space.
Remove fatigue and enjoy a relaxing time.



扫描二维码
查看720°全景效果



一隅清欢
A corner of *Qinghuan*

古香流韵，当代情愫，
无不流露着韵味古韵。

Antique attraction, contemporary sincerity
It displays an elegant charm.



扫描二维码
查看720°全景效果



云间雅意
Cloud *elegance*



TL-V002 选配 Optional

吊 顶：钢板烤白漆，米黄色化妆钢板，型材灯装饰
侧 壁：白色化妆钢板
后 壁：中心板米黄色化妆钢板，黑钛装饰条，暗藏灯带
辅助板白色化妆钢板
地 板：PVC
Ceiling: Steel plate baked enamel, beige make-up steel plate,
section material lighting decoration
Side wall: White makeup plate
Rear wall: Center plate beige makeup plate,
black titanium decorative strip, hidden light belt
Floor: PVC



TL-V003 选配 Optional

吊 顶：古铜色不锈钢，亚克力透光板
侧 壁：中心板古铜色不锈钢，镜面不锈钢装饰条，
辅助板古铜色不锈钢
后 壁：中心板艺术玻璃，辅助板镜面不锈钢
地 板：PVC
Ceiling: Bronze stainless steel, acrylic transparent plate
Side wall: center plate bronze stainless steel, mirror stainless steel
trim strip, auxiliary plate bronze stainless steel
Rear wall: Center plate art glass, auxiliary plate mirror stainless steel
Floor: PVC

对细节美的极致关注，
感受线条美的包容利落，
感受匠心工艺。

Focus upon every charming detail
Calmly feel the beautiful lines
Feel fine craftsmanship.



扫描二维码
查看720°全景图



流绪微梦 Flowing Dreams

于方寸之间揽一袖清风，
品味新生活，享睿智人生。

Go with the wind
Poetic & intelligent life



扫描二维码
查看720°全景图



一川风月 A river of wind and moon



TL-V004 选配 Optional

吊 顶：黑钛不锈钢，黑钛镜面水波纹，隐藏灯带
侧 壁：中心板黑钛镜面不锈钢，辅助板化妆钢板
后 壁：中心板仿大理石，黑钛装饰条，隐藏灯带，
辅助板化妆钢板

地 板：PVC

Ceiling: Black titanium stainless steel,
black titanium mirror water ripple, hidden light strip
Side wall: center plate black titanium mirror stainless steel,
auxiliary plate makeup plate
Rear wall: center plate imitation marble, black titanium d
ecorative strip, hidden lamp belt, auxiliary plate makeup plate
Floor: PVC



TL-V005 选配 Optional

吊 顶：钢板烤漆，黑钛饰条，隐藏灯带，筒灯
侧 壁：黑钛不锈钢，安全玻璃
后 壁：仿大理石，黑钛不锈钢
扶 手：不锈钢圆扶手

地 板：PVC

Ceiling: Steel paint, black titanium strip, hidden light strip, downlight
Side wall: Black titanium stainless steel, safety glass
Rear wall: Imitation marble, black titanium stainless steel
Handrail: Stainless steel round handrail
Floor: PVC



人机界面

Human-machine interface



TLV-C02

选配 Optional

TLV-C03

选配 Optional

外呼
Outgoing call



TLV-WH02

选配 Optional



TLV-WH03

选配 Optional



TLV-WH04

选配 Optional



TLV-WH01

标配 Standard

TLV-C01

标配 Standard

不同材质匹配多样的纹样装饰，
为建筑装潢增彩。
打开一扇门，打开美好。

Different materials
match different texture decorations,
To add color to the decoration of the building,
Open a door, open the good.



TLV-TM01

标配 Standard



TLV-TM02

选配 Optional



TLV-TM05

选配 Optional



TLV-TM06

选配 Optional



TLV-TM07

选配 Optional

厅门系列
Landing door series



TLV-TM03

选配 Optional



TLV-TM04

选配 Optional



TLV-TM08

选配 Optional



TLV-TM09


选配 Optional




TLV-TM10

选配 Optional

吊顶系列 Ceiling series



TLV-DD01 选配 Optional
发纹不锈钢, 亚克力灯饰
Hairline stainless steel, acrylic lighting decoration



TLV-DD02 选配 Optional
镜面不锈钢, 亚克力透光板, LED筒灯
Mirror stainless steel, acrylic lighting decoration, LED lights



TLV-DD03 选配 Optional
镜面不锈钢, LED筒灯
Mirror stainless steel mirror, LED downlight



TLV-DD04 选配 Optional
钢板烤漆, 金属装饰条, 暗藏灯带, LED灯
Steel plate baking paint, metal decorative strip, hidden lamp belt, LED light



TLV-DD05 选配 Optional
玫瑰金不锈钢, 亚克力透光板, LED筒灯
Rose gold stainless steel, acrylic lighting decoration, LED lights



TLV-DD06 选配 Optional
玫瑰金不锈钢, 星空顶造型
Rose gold stainless steel, star top shape

扶手系列 Handrail series



TLV-FS01 选配 Optional
发纹不锈钢
Hairline stainless steel



TLV-FS02 选配 Optional
发纹+香槟金不锈钢
Hairline + champagne gold stainless steel



TLV-FS03 选配 Optional
钛金不锈钢短纹, 圆弧头
Titanium Short grain stainless steel, arc head



TLV-FS04 选配 Optional
圆木和钛金组合
Combination of round wood and titanium gold


地板系列 Floor series



TLV-DB01
选配 Optional



TLV-DB02
选配 Optional



TLV-DB03
选配 Optional



TLV-DB04
选配 Optional



TLV-DB05
选配 Optional



TLV-DB06
选配 Optional



TLV-DB07
选配 Optional



TLV-DB08
选配 Optional

完美功能 Perfect function

安全功能	Safety features	
主机过热保护	Host over-heat protection	S
安全回路分段检测	Safety loop sectional detection	S
总电源开关箱	Main power switch box	S
运行小时累计	Accumulated running hours	S
轿厢位置开关	Car position switch	S
轿厢急停开关-轿顶	Car emergency-stop switch — car-top	S
轿厢急停开关-底坑	Car emergency-stop switch — pit	S
安全钳安全触点	Safety lings safety contactor	S
限速器安全触点	Speed limiter safety contactor	S
电梯主开关-控制柜内	Main elevator switch — inside control cabinet	S
禁止开门开关	No-opening switch	S
断电紧急平层ARD	Power-failure emergency leveling ARD	O
应急电话（一键拨号电话）	Emergency telephone (one-key dial telephone)	O
自动发送救援信息功能（GSM功能）	Automatic sending function of rescue information (GSM function)	O
家用设备断电应急供电功能（UPS功能）选配	Home equipment power-failure emergency power-supply function (UPS function) optional	O

控制功能	Control function	
禁止外呼	No outer calling	S
自动门	Automatic door	S
各层开关门时间可统一调节	Door opening / closing time at each floor can be unanimously adjusted	S
检修运行	Inspection operation	S
紧急召回	Emergency recall	S
测试运行	Testing operation	S
电梯门未开则自动开往下一站	If elevator door does not open, it automatically goes to next landing	S
限速器张紧安全触点	Speed limiter tensioning safety contactor	S
轿门触点	Car door contactor	S
轿厢照明主开关盒主保险-控制柜内	Main fuse of car lighting main switch box — inside control cabinet	S
底坑撑杆触点	Pit supporting rod contactor	S
轿顶撑杆触点	Car-top supporting rod contactor	S
手动松闸功能	Manual brake-releasing function	S
紧急轿厢照明	Emergency car lighting	S
手动紧急救援	Manual emergency rescue	S
远程监控	Long-distance monitor	O


乘客舒适功能	Passengers comfortable function	
开门按钮	Door-opening button	S
关门按钮	Door-closing button	S
光幕	Light curtain	S
二次按钮取消错误内呼	Secondary button-pressing cancelling of error inner-calling	S
按钮黏滞监察	Monitor of sticky button-pressing	S
反向内呼	Reversal inner-calling	S
轿内照明	Car lighting	S
轿内风扇	Car fan	S
轿内照明监察	Car lighting monitor	S
外呼再开门	Outer calling re-opening	S

信息功能	Information function	
各层均看方向箭头，层位显示	Directional arrow, landing display at each floor	S
内呼登陆显示灯	Inner calling log-in display lamp	S
超载功能图案及蜂鸣器	Overload functional design and buzzer	S
轿厢位置指示	Car position indication	S
运行方向指示	Running direction indication	S
门区指示灯	Door zone indication lamp	S
运行次数累计	Accumulated running times	S
一般故障信号	Common trouble signal	S
背景音乐/语音报站	Background music / voice arrival	O
残疾人使用功能（盲人按钮，语音提示）	Use functions for disabled (buttons for the blind, voice prompt)	O
贯通门	Opposite door	O
可选开门（如贯通门）	Optional opening (if opposite door is available)	O


S-标配 Standard O-可选，需加价 Optional

曳引式家用电梯土建图


Traction home elevator construction *sketch*




中分双扇单开门时
Center split double leaf single door



中分双扇对开门时
Center split double leaf opposite door



旁开双扇门时
Side opening double door




载重 (kg/人)	轿厢宽 CW(mm)	轿厢深 CD(mm)	轿厢高 H(mm)	开门方式	开门宽 OP(mm)	井道宽 HW(mm)	井道深 HD(mm)
260/5	900	1100	2200	旁开双扇单开	700	1450	1500
				旁开双扇对开	700	1450	1750
520/4	1000	1250	2200	中分双扇单开	700	1550	1600
				旁开双扇单开	800	1550	1650
				中分双扇对开	700	1550	1750
				旁开双扇对开	800	1550	1900
400/5	1100	1400	2200	中分双扇单开	800	1700	1750
				旁开双扇单开	900	1700	1800
				中分双扇对开	800	1700	1900
				旁开双扇对开	900	1700	2050


注：该图仅供参考，如须施工，请以技术部设计图为准。
Note: this figure is only for reference when choosing models, construction drawings are subject to design drawings of technical department.

钢带式家用电梯土建图


Steel band style home elevator construction *sketch*




中分双扇单开门时
Center split double leaf single door



中分双扇对开门时
Center split double leaf opposite door



旁开双扇门时
Side opening double door




载重 (kg/人)	轿厢宽 CW(mm)	轿厢深 CD(mm)	轿厢高 H(mm)	开门方式	开门宽 OP(mm)	井道宽 HW(mm)	井道深 HD(mm)
260/5	900	1100	2200	旁开双扇单开	700	1450	1500
				旁开双扇对开	700	1450	1750
520/4	1000	1250	2200	中分双扇单开	700	1550	1600
				旁开双扇单开	800	1550	1650
				中分双扇对开	700	1550	1750
				旁开双扇对开	800	1550	1900
400/5	1100	1400	2200	中分双扇单开	800	1700	1750
				旁开双扇单开	900	1700	1800
				中分双扇对开	800	1700	1900
				旁开双扇对开	900	1700	2050


注：该图仅供参考，如须施工，请以技术部设计图为准。
Note: this figure is only for reference when choosing models, construction drawings are subject to design drawings of technical department.

强制式驱动家用电梯土建图


Force drive home elevator construction sketch




中分双扇单开门时
Center split double leaf single door



中分双扇对开门时
Center split double leaf opposite door



旁开双扇门时
Side opening double door



载重 (kg/人)	轿厢宽 CW(mm)	轿厢深 CD(mm)	轿厢高 HH(mm)	开门方式	开门宽 OP(mm)	井道宽 HW(mm)	井道深 HD(mm)
260/3	950	1050	2200	旁开双扇单开	700	1550	1450
				旁开双扇对开	700	1550	1700
520/4	1100	1150	2200	中分双扇单开	700	1550	1500
				旁开双扇单开	800	1550	1550
				中分双扇对开	700	1550	1650
				旁开双扇对开	800	1550	1800
400/5	1200	1250	2200	中分双扇单开	800	1700	1600
				旁开双扇单开	900	1700	1650
				中分双扇对开	800	1700	1750
				旁开双扇对开	900	1700	1900

注: 此图仅供参考, 实际施工时, 请以技术部设计图为准
Note: this figure is only for reference when choosing models, construction drawings are subject to design drawings of technical department

人性化服务

Humanized service



提供全定制化的私人专享方案

提供一套完整的私人定制电梯解决方案

It offers fully tailor-made private and exclusive enjoyment plan
It supplies a complete set of privately custom-made elevator solution plans



提供全程监理服务

保证每一个环节完美进行, 顺利竣工

It offers full-course supervision service
It guarantees perfect execution and smooth finish for every sector



24H尊享家服务专线

保持畅通的尊贵服务专线, 让您全天无忧

24H noble home enjoyment service hotline
Smooth and noble service hotline
Frees you from any worries at all times



提供360°效果选配预案

随心所欲的搭配, 为您排忧解难

It provides 360°effect optional plans
Select as your wishes, able to solve the problem for you