

# **SAP C\_C4H62\_2408**

# SAP Certified Associate - Implementation Consultant - SAP Customer Data Cloud

- Up to Date products, reliable and verified.
- Questions and Answers in PDF Format.

#### **Full Version Features:**

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24 Hours Live Chat Support

# **For More Information:**

https://www.testsexpert.com/

Product Version

# Latest Version: 7.1 Subjects

- 1. Federation
- 2. Extensibility and Dataflows
- 3. Console Administration and Configuration
- 4. CIAM for B2B
- 5. Console Administration and Configuration
- 6. Customer Identity and Site Groups
- 7. Data Schema
- 8. Managing Clean Core
- 9. Enterprise Preference Management
- 10. Mobile Apps
- 11. Best Practices

Topic: 1 Federation

## Question: 1

You are implementing a website that will allow users to log in using their existing company credentials by initiating an OIDC flow. How would you configure your website and SAP Customer Data Cloud?

- A. SAP Customer Data Cloud as the IdP, and the website as the SP
- B. SAP Customer Data Cloud as the SP, and the website as the OP
- C. SAP Customer Data Cloud as the RP, and the website as the OP
- D. SAP Customer Data Cloud as the RP, and the website as the IdP

**Answer: C** 

#### **Federation**

## Question: 2

Which of the following are OpenID Connect terminology? Note: There are 2 correct answers to this question.

- A. Metadata
- B. Claims
- C. Scope
- D. Assertion

Answer: B, C	

#### **Federation**

# Question: 3

What is the function of the Assertion Consumer Service URL in a SAML implementation?

- A. It enables the proxy page and its linked pages, such as login and error pages.
- B. It asserts the logged-in status of the consumer.
- C. It tells the IdP where to send the SAML response after authenticating a user.
- D. It allows consumers to securely enter their SAML credentials.

Answer: C

#### **Federation**

## Question: 4

What attribute in a JSON Web Token (JWT) represents the UID of the user?

- A. kid
- B. id
- C. userKey
- D. sub

**Answer: D** 

#### **Federation**

# Question: 5

In an OIDC implementation, what endpoint returns claims about the authenticated user?

- A. The /introspect endpoint
- B. The /authorize endpoint
- C. The /userinfo endpoint
- D. The /token endpoint

**Answer: C** 

#### **Federation**

Question: 6

What are the key pages required to set up SAP Customer Data Cloud as a SAML identity provider? Note: There are 2 correct answers to this question.

- A. Assertion
- B. Proxy
- C. Error
- D. Consent

Answer: B, C

#### **Federation**

#### **Question: 7**

How can you get the public certificate that is required to validate a JSON Web Token?

- A. By downloading the certificate from the SAP Customer Data Cloud console
- B. By calling the endpoint accounts.getJWTPublicCertificate
- C. By requesting the certificate from the SAP Customer Data Cloud support team
- D. By calling the endpoint accounts.getJWTPublicKey

**Answer: B** 

# Topic: 2 Extensibility and Dataflows

# Question: 8

You are setting up a new webhooks endpoint and you would like to retrieve the profile object on receipt of the "Account logged in" notification. What method would you recommend?

A. accounts.getAccountInfo with UID from notification

B. Use the profile object sent in the notification payload.

C. accounts.search with 'SELECT profile FROM emailAccounts WHERE profile.email = \$email from notification\$'

D. accounts.search with 'SELECT profile FROM account WHERE profile.email = \$email from notification\$'

**Answer: A** 

#### **Extensibility and Dataflows**

**Question: 9** 

Which events can be configured in the Console for webhooks? Note: There are 3 correct answers to this question.

- A. Account registered
- B. Consent granted
- C. Account deleted
- D. Account verified
- E. Subscription updated

Answer: A, B, C

#### **Extensibility and Dataflows**

#### **Question: 10**

You are building a dataflow to transfer existing users' subscriptions from the marketing system to SAP Customer Data Cloud. The marketing system will provide a PGP-encrypted file and place it in an S3 bucket. All records that fail to update will be zipped and sent back to the S3 bucket. Which actions will you perform during the creation of the dataflow? Note: There are 2 correct answers to this question.

Note. There are 2 correct answers to this question.

- A. Add a file.decrypt.pgp component and a file.compress.zip component.
- B. Add an error handling step after a datasource.read.amazon.s3 component.
- C. Add an error handling step after a datasource.write.gigya.account component.
- D. Add a file.encrypt.pgp component and a file.uncompress.zip component.

Answer: A, C

# For More Information – Visit link below:

# https://www.testsexpert.com/

16\$ Discount Coupon: 9M2GK4NW

# Features:





100% Course Coverage.....



90 Days Free Updates.....



Instant Email Delivery after Order.....

















